Dementia as Disparity: Access to High Quality Long term Care in America

Vincent Mor, Ph.D.

Florence Grant Pirce Professor of Public Health

# ADRD Population & Residential Long Term Care

- Growth of Oldest Old (85+) means growth of ADRD population and those requiring institutional long term care

- Nursing Homes serve two populations:
  - Post-Acute Care for Rehabilitation & Recuperation
  - Long Stay Residents

- Huge Growth in Post Acute population

- Little growth in long stay population in last two decades; NH population shrinking!

BROWN
School of Public Health

Projected Number of People Age 65 and Older (Total and by Age) in the U.S. Population with Alzheimer's Dementia, 2010 to 2050

Millions of people with Alzheimer's

- ■ Ages 65–74
- ■ Ages 75–84
- ■ Ages 85+

BROWN
School of Public Health

Place of Death Due to Alzheimer's Disease, 1999 to 2016

Percentage

■ Nursing home/long-term care   ■ Decedent's home   ■ Hospice facility

■ Medical facility   ■ Other   ■ Place of death unknown

Year   1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016

Created from data from the National Center for Health Statistics.[248]

BROWN
School of Public Health

Background: ADRD in PAC

- The improving Medicare Post-Acute-Care Transformation (IMPACT) Act of 2014 mandated new quality measure of *successful community discharge* from post-acute care (PAC) services. However, little is known about skilled nursing facility (SNF) patient's success in returning and staying home post-discharge.

- Upon discharge from the hospital to a SNF, new PAC patients with ADRD whose behavioral problems exceed the SNF's capacity to accommodate them are at high risk of rehospitalization, being transferred to another nursing home or "getting stuck" in long term care.

BROWN
School of Public Health

Background

- NHs face financial incentives to turn away persons with ADRD because:
  - more clinically and behaviorally complex, requiring more staff time
  - use fewer therapy hours so generate less revenue per bed day than other patients
  - require longer lengths of stay and have a lower likelihood of leaving the NH.

- ADRD admissions make "successful discharge" quality metric hard to meet and become Medicaid

BROWN
School of Public Health

Objective

- To characterize the PAC experience of Medicare beneficiaries with ADRD, including the quality of facilities they enter, their likelihood of experiencing rehospitalization, becoming a permanent resident or transitioning from one facility to another between 2007 and 2017.

BROWN
School of Public Health

Methods

- **Study Design**

- Retrospective cross-sectional *trend study*

  - 100% Medicare claims data linked to the Center for Medicare & Medicaid Services' Minimum Data Set for each calendar year from January 1, 2007 through September 30, 2015.

- <u>Setting</u>;
  CMS-certified skilled nursing facilities (n=16,763)

Methods

- Participants:
  - Fee-for-service Medicare beneficiaries aged > 66 years discharged from a hospital to a SNF who had not entered a nursing home during the 12 months prior to hospitalization.

- Exposure:
  - ADRD defined by the Chronic Condition Data Warehouse (CCW).

- Outcome Measures:
  - 1) Admission to a Quality NH (CMS Star Rating 4+)
  - 2) successful discharge [in SNF 90 days, then discharged back to the community, alive without subsequent inpatient health care utilization for 30 continuous days];
  - 3) long-stay resident: still in SNF after 90 days of entering;
  - 4) death in SNF within 30 days of entering;
  - 5) readmitted to hospital within 30 days of entering SNF;
  - 6) transferred to another nursing home.

BROWN
School of Public Health

Methods

- <u>Statistical Analysis</u>:

  - We used logistic regression adjusting for age, gender, race/ethnicity, dual eligibility, Medicare Advantage penetration, and % dual-eligible in zip code of residents. Adjusted predictive rates are presented.

BROWN
School of Public Health

Characteristics of FFS Medicare beneficiaries aged 66 years and older with first hospital discharge to a nursing home: 2007-2015

	Jan 1 – Dec 31, 2007		Jan 1 – Dec 31, 2011		Jan 1 – Sep 30, 2015	
	ADRD N= 211,518	No ADRD N= 406,667	ADRD N= 277,751	No ADRD N= 484,728	ADRD N= 217,990	No ADRD N= 370,702
Age, mean	84.1	80.5	84.5	80.3	84.6	80.0
Female (%)	67.0	67.7	66.5	66.9	64.9	64.9
Black race (%)	8.0	6.2	8.4	6.6	8.6	6.9
Other race (%)	3.4	3.1	4.1	3.5	4.6	3.9
Dual eligible (%)	18.0	11.4	18.1	11.0	16.9	10.3
Number of days hospitalized, mean	8.1	8.6	7.6	7.8	7.4	7.7

BROWN
School of Public Health

Star-Rating	Non-Dual		Dual	
	No ADRD	ADRD	No ADRD	ADRD
1 & 2	24.2%	27.5%	10.6%	11.8%
3	17.2	18.1	18.7	19.2
4 & 5	58.6	54.4	23.2	22.0
Total N	1,826,634	689,513	397,553	228,852

Nursing Home Quality by ADRD & Dual Status: 2013-14

BROWN
School of Public Health

Adjusted proportion of referral to low quality nursing home upon hospital discharge by ADRD status among Medicare Beneficiaries aged >65 years

Adjusted for age, sex, race, dual eligible status, % MA penetration in zipcode, % dual eligible in zipcode

Results

- The proportion of traditional Medicare beneficiaries with ADRD who had a successful discharge from the SNF to the community increased from 2007 to 2015 (average annual percent change (AAPC) 2.0 (1.8, 2.2)); those without ADRD also increased (AAPC: 1.0 (0.8, 1.2)) but not as much as those with ADRD ($p<0.01$).

Unadjusted proportion with successful SNF to community discharge upon hospital discharge by ADRD status among FFS Medicare Beneficiaries aged >65 years, January 1, 2009 through June 30, 2017


APC: annual percent change; * denotes statistical significance <0.05

BROWN
School of Public Health

Results

- The proportion of beneficiaries who became long stay, who died in the SNF or were readmitted to the hospital within 30 days decreased statistically significantly among all beneficiaries; however the disparity remained between those with and without ADRD.

Unadjusted proportion becoming **long stay (>100 days in SNF)** after hospital discharge by ADRD status
## 1/1/2009 thru 6/30/2017

APC:-6.5*

APC:-3.7*

APC: 5.6*

APC:-2.2*

Proportion Becoming Long Stay

Year of Hospital Discharge

—●—ADRD   —●—no ADRD

APC: annual percent change; * denotes statistical significance <0.05

BROWN
School of Public Health

Unadjusted proportion **readmitted to the hospital within 30 days** of hospital discharge by ADRD status
1/1/2009 thru 6/30/2017

APC: annual percent change; * denotes statistical significance <0.05

BROWN
School of Public Health

Unadjusted proportion **readmitted to the hospital within 90 days** of hospital discharge by ADRD status
1/ 1/2009 thru 6/6/2017

APC: -1.7*

APC: 0.3

APC: -2.3*

APC: 1.2

Proportion Rehospitalized

Hospital Discharge Year

2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017

ADRD No ADRD

APC: annual percent change; * denotes statistical significance <0.05

BROWN
School of Public Health

Unadjusted proportion **died within 90 days of** hospital discharge by ADRD status
1/1/2009 thru 6/30/2017

APC: -0.4*

APC:-2.3*

APC:-0.6

Proportion Died after Discharge

Hospital Discharge Year

—●— ADRD —●— No ADRD

APC: annual percent change; * denotes statistical significance <0.05

BROWN
School of Public Health

Proportion of Transfers at end of PAC by ADRD Status

ADRD NH Transfer — non-ADRD Transfer

BROWN
School of Public Health

Transfers Entering a High Quality Nursing Home by ADRD Status

Legend: ADRD High Quality Transfer (blue); non-ADRD High QualityTransfer (red)

X-axis: 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017

Y-axis: 0, 10, 20, 30, 40, 50, 60, 70, 80, 90

BROWN
School of Public Health

Summary

- Higher rates of successful discharge from SNF, fewer deaths, re-hospitalizations, transfers, and permanent stays among beneficiaries with ADRD is encouraging.

- However, even adjusting for other factors, ADRD patients go to lower quality NHs and are more likely to get stuck and transfer to less high quality homes.

BROWN
School of Public Health

Limitations

- Use of SNF care after hospitalization increased due to more PAC use of SNF

- May be that more recent entrants to SNF are 'healthier,' resulting in a decrease in deaths, transfers, rehospitalizations, and long-stays.

- Increase in ADRD diagnosis makes it hard to know whether observed changes are real of result of coding, case-mix.

Discussion

- Hospital Readmission penalty stimulated major reduction in re-hospitalizations that affected ADRD and non-ADRD PAC users equally.

- Improvements in Successful discharge have been dramatic; may explain ongoing decline in the long stay NH population

- Aging of Baby Boomers may change everything

BROWN
School of Public Health