



Viruses in Permafrost

Jean-Michel CLAVERIE


Aix-Marseille University & CNRS

Mediterranean Institute of Microbiology

JM.Claverie@me.com

Understanding and Responding to Global Health Security Risks from Microbial Threats in the Arctic Hanover, nov. 6-7, 2019


Permafrost: where?




24 % of the north hemisphere.



Arctic is warming up twice as fast



Average T is 3° C warmer since 1971



Nature (2017): doi:10.1038/nature.2017.21911

Natural consequences




- Enormous "holes " in the ground
- Spontaneous explosions
- Opening/sinking areas
- Billions of environmental microbes recirculated





Gigantic industrial ventures

(100,000 h)



Periodical return of anthrax outbreaks

Anthrax Outbreak In Russia Thought To Be Result Of Thawing Permafrost

August 3, 2016 · 8:32 PM ET








Traces of smallpox viruses



1628 - 1640

C. Theves, P. Biagini and E. Crubezy (2014) Clin Microbiol Infect 20, 210–218.



Farther back in time: Neanderthal

PNAS

Regeneration of whole fertile plants from 30,000-y-old fruit tissue buried in Siberian permafrost

Svetlana Yashina^{a,1}, Stanislav Gubin^b, Stanislav Maksimovich^b, Alexandra Yashina^a, Edith Gakhova^a, and David Gilichinsky^{b,2}

Institutes of ^aCell Biophysics and ^bPhysicochemical and Biological Problems in Soil Science, Russian Academy of Sciences, Pushchino 142290, Russia

Edited* by P. Buford Price, University of California, Berkeley, CA, and approved January 25, 2012 (received for review November 8, 2011)




Dr. David Gilichinsky (1948 – 2012) Founder of the geocryology laboratory, in Puschino (Russia).
Studied permafrost bacteria since 1985.


Lyubov Shmakova, Elizaveta Rivkina Institute of Physicochemical & Biological Problems in Soil Science, Pushchino, Russia.



Location: Chersky area/ Kolyma lowland



Systematic search for acanthamoeba-killing viruses



SANC

Giant viruses from late pleistocene (end of neanderthal)

In-depth study of *Mollivirus sibericum*, a new 30,000-y-old giant virus infecting *Acanthamoeba*


Matthieu Legendre^{a,1}, Audrey Lartigue^{a,1}, Lionel Bertaux^a, Sandra Jeudy^a, Julia Bartoli^{a,2}, Magali Lescot^a, Jean-Marie Alempic^a, Claire Ramus^{b,c,d}, Christophe Bruley^{b,c,d}, Karine Labadie^e, Lyubov Shmakova^f, Elizaveta Rivkina^f, Yohann Couté^{b,c,d}, Chantal Abergel^{a,3}, and Jean-Michel Claverie^{a,g,3}


22 Sept.2015

Thirty-thousand-year-old distant relative of giant icosahedral DNA viruses with a pandoravirus morphology

Matthieu Legendre^{a,1}, Julia Bartoli^{a,1}, Lyubov Shmakova^b, Sandra Jeudy^a, Karine Labadie^c, Annie Adrait^d, Magali Lescot^a, Olivier Poirot^a, Lionel Bertaux^a, Christophe Bruley^d, Yohann Couté^d, Elizaveta Rivkina^b, Chantal Abergel^{a,2}, and Jean-Michel Claverie^{a,e,2}

3 Mars, 2014





Ancient "Giant Virus" Revived From Siberian Permafrost

Climate change could release more ancient viruses. Is there a risk to humans?







BBC Sign in

Permafrost: a climate time bomb?

Phys.Org - 5 déc. 2018

Permafrost—soil that is frozen, although not necessarily permanently ... scientists revived a giant but harmless virus, dubbed Pithovirus ...








The Independent - 5 mai 2017


'Permafrost is a very good preserver of microbes and viruses, because it is ... when exposed to light, certain "giant" viruses could signal danger.



Can we confirm these results?

- Use different sample sites
- Use different sample types
- Use different investigation methods

Paleolithic (28.000 y) Yana RHS: humans & mammoths





Alexei Tikhonov


Head, Zoology Institute, (RAS-St Petersburgh

Research head, Mammoth Museum Yakustsk



Acanthamoeba






4 new viruses




New virus isolates "associated" to frozen animal remains (28. 000 y)




ancient Megavirus



ancient Pandoravirus




ancient Pithovirus



"Pacman"
Asfar-like
408 kb, G+C: 41 %, 50% ORFans

Claverie et al., confidential




Core material from the

SPRING EXPEDITION YAKUTIA 2015

Jens Strauss

Alfred Wegener Institute, Periglacial Research Unit



Metagenomic sequencing


Total bp: 10.3 10⁹

Contigs > 5 kb: 868,850

Mostly bacteria

A huge diversity


Claverie et al., unpublished




An unknown threat: β-lactamases

2,678 β-lactamases 1/325 contig


85,6% associated to Gram-negative bacteria



Claverie et al., confidential



Our last sampling mission (Duvanny Yar, August 15-29, 2019)



Kolyma river exposures

















Preliminary results

- 3 new viruses from the Lena river (megavirus, pandoravirus, pithovirus)
- One new virus from the run of thawed material (pitho/cedratvirus)
- 4 viruses from pleistocene (>11,700 y) (3 Mimiviruses, one Pandoravirus)

The above results are the first independent confirmation that some DNA viruses can remain infectious since paleolithic and the end of the last glacial period.

The viral risk from thawing permafrost



- 1. Every large-scale arctic industrial project should include on-site competent medical surveillance
- 2. They should have an on-site quarantine/isolation facility and protocol.
- 3. More research should be performed on pathogenic permafrost microbes (including protozoa)*

* It is virtually impossible to legally export potentially infectious samples out of Russia/Yakoutia

