


ECONOMIC IMPACTS OF A RADIOLOGICAL DISPERSAL DEVICE PRESENTED TO NAS APRIL 2020

Lawrence Trost and Vanessa Vargas



ORS PM: Mark West

Shelter in place

Possible cleanup

Relocate

CERCLA

We did a series of studies to provide a technical basis for radiological material security programs.

Motivation

Approach

The NYC 2017 study

The Category III Scenario

The California 2019 Study

Overall Conclusions


Motivation: Develop a rigorous understanding of the consequences and impacts from the malevolent use of radiological material (e.g., RDD).

Significant economic impacts shown by NA21/ORS study in 2006-2008 by LANL & SNL.

New modeling tools and data from Fukushima, as well as other incidents since 2008, allow for more rigorous analysis.

We did studies involving urban and rural targets.

The analysis is in three parts: Physical impact, response, economic impact



Key tools and data allow detailed analysis

TurboFRMAC	(used	for
contamination	dose	rates)

Physical Analysis

Quick Urban Industrial Complex (QUIC) (used for outdoor dispersion)

Below Ground Model (BGM) (used for subway infiltration and transport)

Probabilistic Anthrax Risk Assessment Tool (PARAT) (used for building infiltration)

Specialized Hazard Assessment Response Capability (SHARC) (used for blast casualty analysis)

DOE OGT Study (used for wall contamination)

Landscan data developed at ORNL (used for population estimates)

Response Analysis

Prioritization Analysis Tool for All-Hazards/Analyzer for Wide-Area **Restoration Effectiveness** (PATH/AWARE) (used for Lower Manhattan and Brooklyn)

Resource Estimation and Scheduling Tool for Optimized Recovery (RESTORe) (used for evaluating subway restoration)

EPA 2016 PAG Manual (used for response levels)

Various radiological response and recovery plans used for emergency response

Economic Analysis

Regional Economic Accounting Tool (REAcct) (used for first year impacts)

Regional Economic Models Inc. (REMI) NYC Fire Department (FDNY) (used for multiple year impacts)

Zip code business patterns from Bureau Economic Analysis (BEA) (business impact analysis)

Various Fukushima Reports (used for evacuation deaths and perceptual effects)

Outreach

NYC Office of Emergency Response (OER)

California Governor's Office of **Emergency Services (EOS)**

California Department of Food and Agriculture (CDFA)

California irrigation district officials

California county agricultural officials

National Urban Security Technology Laboratory (NUSTL)

Los Alamos National Laboratory (LANL)

Argonne National Laboratory (ANL)

Regional Economic Models Inc (REMI)




First study: Consequences for an RDD event in an urban area Representative, not worse case, scenario defined for a New York City Scenario.

Scenario

- Lower Manhattan.
- Prevalent weather conditions.
- Tall buildings accounted for.
- Device design aligned with threat definition.

Assumptions


- Threshold of action defines actions and area of concern.
- Prompt and affective response protocols for analysis.





Response activities define many of the costs.

195,000 people evacuated could cause a significant number of deaths.



Event lasts for 40 minutes.

However, remediation can last 10 years.

New York City is very, very well prepared and that was accounted for in the study.

Decontamination activities differ by zone, level of effort

Manhattan: Major Remediation

Streets, sidewalks, and open spaces: removed and resurfaced

Building interiors:

decontaminated using scabbling and strippable coatings

Rooftops:

scabbled or stripped of their membranes

Building facades:

removed and replaced if possible. Scabbling and/or demolition are last resort.

Manhattan: Minor Remediation


Interior floors, walls, and ceilings: decontaminated using strippable coatings

Brooklyn

Private property: owners will assume responsibility for


cleanup (if any)

Public buildings: interior floors will be decontaminated using strippable coatings



- Building-by-building analysis reduces cost and time from one size fits all approach: Façade replacement.
- Costs highly dependent on actual decontamination effectiveness.

Total US economic consequences: Net 10's of \$Billions GDP Loss over 10 Years



GDP impacts are not intuitive.

They can be negative or positive, but all represent economic disruption.

The insights are as important as the consequence numbers



Cost and human impact:

- Evacuation deaths could be significant.
- Perception and avoidance largest economic impact.
- Modeled low interior contamination levels reduced demolition significantly.

Regional/national effects:

- Regional impacts vary tremendously.
- Multi-year analysis showed recovery possible.
- Limited national effects found in the analysis.

Scenario/analysis factors:

- Wind direction and speed.
- Different city with less redundancy and resilience.
- Other business types that are difficult to relocate.
- Delays in remediation actions.
- Lower contamination action level.

The Category III Scenario

Motivation

Approach

The NYC 2017 study

The Category III Scenario

The California 2019 Study

Overall Conclusions



Second study: As part of a GAO study, SNL was asked to examine an RDD scenario with a relatively small, Category III source.

In 2018 time frame, GAO visited SNL as part of a study on security standards for radioactive material.

As security requirements are partially based upon material quantity, GAO desired to know more about effects of a relatively small release. Sandia ING was asked to repeat the NYC R scenario with a small, Category III source.

Sandia performed a quick study leveraging the NYC 2017 Study.



COMBATING NUCLEAR TERRORISM

NRC Needs to Take Additional Actions to Ensure the Security of High-Risk Radioactive Material

What GAO Found

The 18 experts at a meeting GAO convened with the National Academies of Sciences generally agreed that the Nuclear Regulatory Commission (NRC) assessment of risks of radioactive material does not include all relevant criteria. NRC limits its criteria to prompt fatalities and deterministic health effects from radiation, which, according to the experts and recent studies, are unlikely to result from a radiological dispersal device (RDD). Two studies from Sandia National Laboratories (Sandia) measuring consequences of RDDs, released in 2017 and 2018, found that there would be no immediate fatalities from radiation.

What GAO Found

The 18 experts at a meeting GAO convened with the National Academies of Sciences generally agreed that the Nuclear Regulatory Commission (NRC) assessment of risks of radioactive material does not include all relevant criteria. NRC limits its criteria to prompt fatalities and deterministic health effects from

would be comparable to an RDD with a considerably larger amount of such material. For example, a 2018 study from Sandia found that malicious use of certain radioactive materials in smaller quantities could cause significant socioeconomic consequences. By requiring additional security measures for these smaller quantities of high-risk material, NRC can have better assurance that its security requirements are sufficient to secure all high-risk radioactive material from theft and use in an RDD.

The Category III Scenario is an excursion on the NYC Scenario.


An excursion was performed on the NYC scenario to examine the effects of a smaller release.

A much smaller RDD was employed in a scenario identical in other respects to the 2017 NYC study.

A reduction of > 90% in released material only produced a reduction in GDP effect of 20%.

Psychosocial effects predominated.





Third study: A deep dive into a scenario of a rural area event.

Scenario

• An RDD scenario in a rural area, targeting the agricultural industry.

Key Features

- A rural, not an urban target
- Based upon Ca State input, the key factor is protecting California's agriculture brand.
 - Response levels below the Environmental Protection Agency Protective Action Guidelines (PAGs)
 - Below the Food and Drug Administration Derived Intervention Levels (DILs)
- Exports and tourism would be affected
- There would be significant efforts to reassure the public.



Remediation emphasized preventing spread of contamination

Action: Prevention of fomite and cultural spread

o Soil Removal Zone

Soil was removed to a depth of 6 inches.

Ground cover was planted.

All structures were demolished, roads and vegetation removed.

Soil Remediation Zone

All vegetation was removed.

Soil was plowed and ground cover planted.


OCultivated Land Fallow Zone

oLand was left to go fallow.

Non-Cultivated Land Fallow Zone

Entrance was restricted.

Buildings in the Fallow Zone will be demolished



Overall Conclusions

Motivation

Approach

The NYC 2017 study

The Category III Scenario

The California 2019 Study

Overall Conclusions



Overall Conclusions

An RDD event can have a serious economic impact, whether in urban or rural areas.

The effects go well beyond the actual contaminated area.

The impact does not necessarily scale according to the size of the release.

Psychosocial effects can govern the impact.

Preparedness and resilience efforts can limit the impact.





BACKUPS

PRESENTED BY





Sandia National Laboratories is a multimission laboratory managed and operated by National Technology and Engineering Solutions of Sandia LLC, a wholly owned subsidiary of Honeywell International Inc. for the U.S. Department of Energy's National Nuclear Security Administration under contract DE-NA0003525.

Response Summary:

A 10-year process without resource constraints and with prompt decisions

Emergency

195k people sheltered and evacuated: significant evacuation

deaths

Stabilization

Contaminated zones assessed:

Major remediation limited to

Manhattan.

Recovery

Manhattan Major Remediation Zone

cleanup is extensive.

Brooklyn cleanup minimal since

below PAG threshold.

Will Brooklyn residents accept this?

