

What do you see as the role of theoretical work in your agency's portfolio?

"Be directly relevant to space astrophysics goals by:


facilitating the interpretation of data from space astrophysics missions

or by

leading to predictions that can be tested with space astrophysics observations."


What do you see as the role of theoretical work in your agency's portfolio?

Hubble




ATP19-0107 - Debris Disk Morphology due to Stellar Encounters PI: Gongjie Li

WISE + Planck



ATP11-34: Cosmic Microwave
Background as a Probe of the Low
Redshift Universe
PI: David Spergel

Swift



ATP14-79: Accretion Disk Outflows from Compact Object Mergers


PI: Brian Metzger


Extragalactic GRBs predicted by NAGW 626 (1984)


Pls: Edward Turner / Bohdan Paczyńsky


Theoretical and Computational Astrophysics Networks (TCAN)

Astro2010: "To enable the large-scale theoretical investigations identified as science priorities by this survey, the committee proposes a new competed program to support coordinated theoretical and computational research—particularly that of fundamental relevance to upcoming space observatories."











How has support of theoretical work changed over the past decade?




How has support of theoretical work changed over the past decade?




How has support of theoretical work changed over the past decade?

ATP Proposals Submitted/Selected



.u

Selected




% ATP Proposals Selected

Fiscal Year


Fiscal Year

ENS




What is the balance between large computational programs and smaller "pure" theory projects?

We don't set this mix. It is driven by the PIs and the reviews panels. It is responsive to the community.



Computational Capabilities






What are the challenges in supporting innovative high-risk theory programs?

Perception is that panels are risk averse

NASA undertook a survey of all proposals peer reviewed for ROSES-2017.

Overall

Selected




Selection of "risky proposals" as classified by reviewers matches the expectation given their impact distribution.

What are the challenges in supporting innovative high-risk theory programs?

To reinforce SMD's interest in High-Risk/High-Impact Research a special review process will be implemented in ROSES 2020 to select HR/HI proposals not selected through the normal process.

Overall

Selected




Selection of "risky proposals" as classified by reviewers matches the expectation given their impact distribution.

Supporting a Diverse Workforce in Theoretical Astrophysics

How do we support a diverse workforce in theoretical astrophysics?

We create panels that look like the astrophysics community.

Snapshot: ATP19 Panelists



How do we support a diverse workforce in theoretical astrophysics?

We create panels that look like the astrophysics community.

We address cognitive bias and methods for its mitigation.

Cognitive Bias





Present the reasoning behind your statements.

Keep the discussion focused on the proposal.

Focus on expertise as needed for project, not vague "experience" or "qualifications"

How do we support a diverse workforce in theoretical astrophysics?

We create panels that look like the astrophysics community.

We address cognitive bias and methods for its mitigation.

We adopt an explicit code of conduct for all reviews.

Panelist Code of Conduct

All panelists observe the following code of conduct:

- 1. Arrive at the review prepared and actively participate in panel activities;
- 2. Evaluate the merit of the proposed investigations and the qualifications of the proposing team, not the members of the proposing team as individuals;
- 3. Evaluate expertise and not "experience";
- 4. Do not interrupt or talk over others;
- 5. Avoid "monopolizing" this discussion; make sure everyone an opportunity to weigh in on discussions;
- 6. Be mindful of bias in all contexts;
- 7. Report abusive or bullying behavior to a cognizant HQ Scientist and/or the ATP Program Officer immediately;
- 8. Be respectful of your colleagues regardless of differences (professional or otherwise);
- 9. Actively help promote an environment free of harassment.

How do we support a diverse workforce in theoretical astrophysics?


We create panels that look like the astrophysics community.

We address cognitive bias and methods for its mitigation.


We adopt an explicit code of conduct for all reviews.

We monitor how we are doing.


ATP+TCAN Proposals in Last Decade



ATP+TCAN Selections in Last Decade




ATP+TCAN Proposals ATP+TCAN Selections



R1
R2/LAC
Nat. Lab
NASA
Private

How do we support a diverse workforce in theoretical astrophysics?

% (number) of Selected proposals by Inferred Gender



Fiscal Year

Overall


Female Pls

Questions?









Q. How much theory is supported in programs more directly associated with missions in addition to ATP and TCAN?

\$15M

ATP+TCAN
(AVERAGE OF
FY18 AND FY19)

\$750k

CHANDRA THEORY (APPROX. PER YEAR) \$500k


FERMI
THEORY
(APPROX. PER
YEAR)

\$1M


HUBBLE THEORY (APPROX. PER YEAR)

Credit: Dan Evans


Astrophysics Budget by Function FY05-FY18 Actual, FY19 Op Plan, FY20-FY24 Request + WFIRST FY20-FY24









FY19 R&A Elements (excludes GO Programs and SAT)






NASA Astrophysics Success Rates by Inferred Gender (ADAP+APRA+ATP, Past 5 Cycles)



FY20 SMD HECC Resource Distribution



Current HECC Capability

HECC Hardware Assets

5 Compute Clusters

- Pleiades 158 ½ Racks / 11,215 nodes / 7.85 PF / 8,222 SBU/hr

Electra24 Racks / 3,422 nodes / 8.32 PF / 4,815 SBU/hr

Aitken 4 E-Cells / 1,152 nodes / 3.69 PF / 2,290 SBU/hr

Merope
 56 ½ Racks / 1,792 nodes / 252 TF / 520 SBU/hr

- Endeavour 3 Racks / 2 nodes / 32 TF / 44 SBU/hr

1 Visualization Cluster 245 million pixel display / 128 node / 703 TF

10 Lustre File Systems

46.0 PE

6 NFS File Systems 1.5 PB


Archive System 1,000 PB






D-Wave 2000Q quantum system

Whistler processor with 2031 qubits





NAS Facility Extension

 A one-acre site with 30 MW power to house HPC systems in modules.

Credit: Nancy Carney

HECC Services

HECC provides a suite of complimentary services to the user community to enhance the scientific and engineering results obtained from the hardware assets.

- Systems: Customized solutions including compute and storage solutions to meet specific project or mission requirements. Cloud access for immediate or nonstandard computing.
- Application Performance and Productivity: Software solutions provided to research/engineering teams to better exploit installed systems.
- Visualization and Data Analysis: Custom visualization during traditional post-processing or concurrent during simulation to understand complex interactions of data.
- Networks: End-to-end network performance enhancements for user communities throughout the world.
- Data Analytics: Exploitation of data sets through neural nets and emerging new techniques.
- Machine Learning: Custom environments to enable learning through advanced data techniques.
- Custom Data Gateways: Custom data portals to support diverse programs and projects.

What's an SBU2?

Distributed Memory Machines:

Pleiades: 2,016 Broadwell Nodes (2 x 14 Cores) 1.00 SBU \approx 70,000,000 SBUs/yr

2,052 Haswell Nodes (2 x 12 Cores) 0.80 SBU

5,256 Ivy Bridge Nodes (2 x 10 Cores) 0.66 SBU

1,800 Sandy Bridge Nodes (2 x 8 Cores) 0.47 SBU

Electra: 2,304 Skylake Nodes (2 x 20 Cores) 1.59 SBU \approx 42,000,000 SBUs/yr

1,152 Broadwell Nodes (2 x 14 Cores) 1.00 SBU

Merope: 1,792 Westmere Nodes (2 x 6 Cores)

(Discover: 129,000-core Climate Simulation Cluster)

Shared Memory Machine:

Endeavor: 1504 Cores 0.024 SBU/cor 300,000 SBU/yr

0.29 SBUs $\approx 4,500,000 \text{ SBUs/yr}$

What are the challenges in support innovative high-risk theory programs?

Review forms for all ROSES-2017 peer reviews (1577 proposals including ATP).

IMPACT: How large an effect would this project have on current thinking, methods, or practice? high (H), medium (M), low (L)


RISK: To what extent would this proposal test novel and significant hypotheses, for which there is scant precedent or preliminary data or which run counter to the existing scientific consensus? A great extent (G), to some extent (S), little or none (L)

		IMPACT				
		Н	H/M	M	M/L	L
RISK	G	159	8	66	1	15
	G/S	3	3	2		
	S	240	13	413	3	77
	S/L	1	2	10	2	3
	L	64	9	289	11	166

Credit: Michael New


What are the challenges in support innovative high-risk theory programs?





	Pct All	Pct Selected
Н	30%	54%
H/M	2%	3%
M	50%	37%
M/L	1%	0%
L	17%	6%


Risk of Selected Proposals




Risk	Pct All	Pct Selected	
G	16%	22%	
G/S	1%	1%	
S	48%	47%	
S/L	1%	1%	
L	35%	28%	

Credit: Michael New

How do we support a diverse workforce in theoretical astrophysics? (ATP19 Panelists)



ATP+TCAN Selections in Last Decade By State



Cumulative Fraction of Proposals

What is Dual-Anonymous Peer Review?

In dual-anonymous peer review, not only are proposers unaware of the identity of the members on the review panel, but the reviewers do not have explicit knowledge of the identities of the proposing team during the scientific evaluation of the proposal.

- The primary intent of dual-anonymous peer review is to eliminate "the team" as a topic during the scientific evaluation of a proposal, not to make it absolutely impossible to guess who might be on that team.
- This creates a shift in the tenor of discussions, away from the individuals, and towards a discussion of the scientific merit of a proposal.




Rollout of Dual-Anonymous Reviews

Format	Program	Proposal due date	
Traditional	NICER Cycle 2	11/13/2019	
Traditional	TESS Cycle 3	1/16/2020	
Dual-Anonymous	NuSTAR Cycle 6	1/24/2020	
Traditional	Fermi Cycle 13	2/19/2020	
Dual-Anonymous	Hubble Cycle 28	3/4/2020	
Traditional	Chandra Cycle 22	~3/2020	
Dual-Anonymous	Webb Cycle 1	~5/2020	
Dual-Anonymous	Swift Cycle 17	~9/2020	
Dual-Anonymous	NICER Cycle 3	~11/2020	
Dual-Anonymous	TESS Cycle 4	~1/2021	
Dual-Anonymous	NuSTAR Cycle 7	~1/2021	
Dual-Anonymous	Fermi Cycle 14	~2/2021	
Dual-Anonymous	Hubble Cycle 29	TBD	
Dual-Anonymous	Chandra Cycle 23	~12/2021 ?	


Fraction of New Pls by Cycle

Hubble Statistics




Credit: Neill Reid, Lou Strolger, and STScl

Hubble Overall Statistics



Hubble Statistics





Credit: Neill Reid, Lou Strolger, and STScl