




Computational Physics, Inc an employee-owned company

The magnetic field is the footprint of the Earth's space environment on the ground.



There are two (related) use cases for magnetic field data – science and operations.

Science

Space weather

Magnetoseismic research

research

- Sun-earth interactions
- Crustal geophysics
- Geomagneticallyinduced currents


- Geophysical hazard
- Ionospheric/Auroral process

Operations

- Power utilities
- GPS accuracy
- Communications
- Polar flights
- Satellite drag

- Geomagnetic indices:
 Kp, Dst, AE
- Supporting data for satellite-based measurements
- NOAA Operational Products

The observatory network is sparse



Distances (km) of grid points to nearest observatory with 5 NRCAN and 8 USGS stations.

(Figure courtesy of Chris Balch, NOAA-SWPC)

Figure 2. A world map of high-cadence (5-second a sample or better) geomagnetic observations for Heliophysics research in the last decade [16]. Some recently built stations are not included in this map.

(image courtesy Peter Chi – UCLA)

Most magnetometer arrays are NSF-

- Each array has its own scientific goal and infrastructure
- SuperMag consortium provides data access to multiple arrays

NSF-funded array focused on operational infrastructure

Jennifer Gannon (CPI) gannon@cpi.com


Delores Knipp (CU)





University of Colorado Boulder

MagStar



http://magstar.cpi.com

MagStar Array Partners




























MagStar Installation



- Secure communication over long-range wireless
- Low-latency data transfer (fraction of a second for 1Hz data)
- Temperature corrected
- Custom low-noise, low power DAQ
- Containerized, cloudbased operational system






Barlow ops system

- Lightweight postgres/SQL/python backend
- Cloud-based, containerized deployment of backend computing infrastructure
- Secure data transfer with SSH key-locked communication
- Automatic failover and manual transfer of data streams
- REST and Python API for real-time access
- Remote system log-in capability



MagStar calibration






Scientific and operational needs

Scientific needs


- High-quality data
- Reliable uptime
- Better coverage over US
 - Maintenance support

Operational needs

- High-quality data
- Reliable uptime
- Better coverage over US
- Real-time data transfer
- Predictable data quality



Scientific and operational needs



Scientific and operational needs

Scientific needs

- High-quality data
- Reliable uptime
- Better coverage over US
- Maintenance support



Operational needs

- High-quality data
- Reliable uptime
- Better coverage over US
- Real-time data transfer
- Predictable data quality

Biggest hurdles...

 Long-term maintenance support for existing high-quality magnetometer arrays

 Reduction of maintenance expenses through the availability of new IoT technologies and computing resources

• Real-time data access through infrastructure advancement

What is needed to close the gap....

 Coordinated, collaborative effort to close infrastructure gap between scientific needs and operational needs

Maintain scientific autonomy to enable discovery

Support for long-term maintenance of arrays

• Public-private partnerships to leverage existing industry IoT tools and advanced academic sensors and expertise

We can bridge the gap between scientific and operational magnetometer needs through a

coordinated and collaborative

public-private partnership

with support for

long-term maintenance.