

# **Measurement of Executive Functions with Conflict Tasks: Implications for Alcohol Research**

Chandra Sripada

Department of Psychiatry

Department of Philosophy

Weinberg Institute for Cognitive Science

# It Is Widely Thought that Substance Use Disorders Involve Reduced “Top-Down Control”

“Top-down control” is the ability to suppress an automatic response tendency and it goes by many names

inhibition  
cognitive control  
executive control  
inhibitory control  
impulse control/self-control



Top-down control is an “executive function”

Classic “triad” view



It is often measured with “conflict tasks”

**Top-down control/Inhibition**  
Task Switching  
Working Memory Updating

Miller, E. K., & Cohen, J. D. (2001)


Nigg, J. T. (2000)

Miyake, A., et al.: A Latent Variable Analysis.  
*Cognitive Psychology*, 41, 49–100.


# Conflict Tasks Pit Spontaneous, Automatic Response Tendencies Against Contextually-Appropriate Responses

## Conflict Tasks


**Stroop Task**




**Go/NoGo Task**



**Distractor Task**




**Think/NoThink Task**



# Stroop Task

“Say the ink color of each word”



Stroop, J. R. (1935b). Studies of interference in serial verbal reactions. *Journal of Experimental Psychology*, 18, 643-662.

MacLeod, C. M. (1991) 'Half a century of research on the Stroop effect: an integrative review', *Psychological Bulletin*, 109(2), pp. 163–203.

# Conflict Tasks Are Standardly Analyzed With “Difference Metrics”

## Stroop “name the ink color of the word”:

INCONGRUENT



incongruent  
reaction time

1

automatic word  
reading response



2

executive process  
to suppress  
automatic word  
reading response



CONGRUENT



congruent  
reaction time


1

automatic word  
reading response



# Conflict Tasks Are Standardly Analyzed With “Difference Metrics”

## Stroop “name the ink color of the word”:



# There Are Numerous Studies Attempting to Examine Individual Differences in Conflict Task Performance and Link These Differences to Substance Use Disorders Including Alcohol Use Disorders

Deficits in behavioural inhibition in substance abuse and addiction: A meta-analysis

Janette L. Smith <sup>a</sup>  , Richard P. Mattick <sup>a</sup>,  
Sharna D. Jamadar <sup>b</sup>, Jaimi M. Iredale <sup>a</sup>

## Inhibitory Control Deficits in Childhood and Risk for Substance Use Disorders: A Review

Iliyan Ivanov , M.D., Kurt P. Schulz , Ph.D., Edythe D. London , Ph.D. & Jeffrey H. Newcorn , M.D.

Is (poly-) substance use associated with impaired inhibitory control? A mega-analysis controlling for confounders

Yang Liu <sup>a b</sup>  , Wery P.M. van den Wildenberg <sup>a c</sup>,  
Ysanne de Graaf <sup>d</sup>, Susan L. Ames <sup>e</sup>, Alexander Baldacchino <sup>f</sup>,  
Ragnhild Bø <sup>g</sup>, Fernando Cadaveira <sup>h</sup>, Salvatore Campanella <sup>i</sup>,  
Paul Christiansen <sup>j</sup>, Eric D. Claus <sup>k</sup>, Lorenza S. Colzato <sup>l</sup>,  
Francesca M. Filbey <sup>m</sup>, John J. Foxe <sup>n</sup>, Hugh Garavan <sup>o</sup>,  
Christian S. Hendershot <sup>p</sup>, Robert Hester <sup>q</sup>, Jennifer M. Jester <sup>r</sup>,  
Hollis C. Karoly <sup>s</sup>, Anja Kräplin <sup>t</sup>, Fanny Kreusch <sup>u</sup>...  
Reinout W. Wiers <sup>a b 1</sup>


**However, recent work shows conflict tasks lack basic psychometric properties needed to serve as effective individual difference metrics! They lack:**

Test-Retest Reliability

Cohesiveness Across Tasks (Convergent Validity)

Predictive Validity


# Conflict Task Difference Metrics Have Poor Test-Retest Reliability



## Large-scale analysis of test–retest reliabilities of self-regulation measures

A. Zeynep Enkavi<sup>a,1</sup>, Ian W. Eisenberg<sup>a</sup>, Patrick G. Bissett<sup>a</sup>, Gina L. Mazza<sup>b</sup>, David P. MacKinnon<sup>c</sup>, Lisa A. Marsch<sup>d</sup>, and Russell A. Poldrack<sup>a</sup>


ICC




Enkavi et al., 2019; Hedge et al., 2018, Weigard, Clark, and Sripada (2021)



# Conflict Tasks Difference Metrics Are Not Cohesive Across Theoretically Similar Tasks



Rouder, J. N., & Haaf, J. M. (2019)




Weigard, Clark, and Sripada (2021)

See also Rey-Mermet et al., 2019; Hedge et al., 2018a & 2018b

# Conflict Tasks Difference Metrics Have Poor Predictive Validity. They Fail to Predict the Things They Are Supposed to Predict

Stroop Task



Self-Report Scales


|                                | Strongly Disagree     | Somewhat Disagree     | No Opinion            | Somewhat Agree        | Strongly Agree        |
|--------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| I am easygoing.                | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| I have high standards.         | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| I enjoy time alone.            | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| I work well with others.       | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| I dislike confrontation.       | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| I prefer crowds over intimacy. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

Clinician-Diagnosed Psychopathology




# What Explains the Failure of Difference Metrics? Our Hypothesis: The Failure of the “Assumption of Pure Insertion”

## Stroop “name the ink color of the word”:







# Evidence Accumulation Models Have Emerged as a Preeminent Approach for Studying the Generative Processes Underlying Task Responses




*Which direction are the dots moving?*



*Which direction are the dots moving?*



*Which direction are the dots moving?*



*A decision variable (noisy gray traces) evolves to a decision boundary based on noisy evidence.*

## Key Parameters of the Model

**v** – drift rate, strength of evidence favoring a response

**z** – start point bias

**a** – threshold, which reflects response caution

**ter** – non-decision time

Ratcliff R (1978). *Psychological review* 85: 59.



Usher M, McClelland JL (2001) *Psychological review* 108: 550.

Brown SD, Heathcote A (2008). *Cognitive Psychology* 57: 153–178.

Gold JJ, Shadlen MN. (2007). *Annual review of neuroscience*. 30.

# Evidence Accumulation Models Can Be Extended to Conflict Tasks

Stroop Task



# Efficiency of Evidence Accumulation (EEA) Exhibits Has Strong Cohesiveness, Test-Retest Reliability, and Predictive Validity

EEA has good to excellent **test-retest reliability**

**0.78-081 ICC**

2<sup>nd</sup> session 2-8 months after first)


EEA has good **predictive validity**

Lower EEA linked to psychiatric disorders:

- Substance use
- ADHD
- Schizophrenia
- Bipolar Disorder

Heathcote et al., 2015; Huang-Pollock et al., 2020; Weigard et al., 2019; Ziegler et al., 2016; Weigard et al., 2021, Sripada and Weigard 2020, Weigard, Clark, and Sripada 2021

Efficiency of  
Evidence  
Accumulation  
(EEA)



EEA has  
excellent  
**cohesiveness**  
**across tasks,**  
and explains 82%  
of variance  
across tasks

Weigard, Clark, and Sripada (2021)


# Summary

It is widely thought that substance use disorders involve reduced “top-down control”



“Top-Down” control is measured with conflict tasks, which are standardly analyzed with “difference metrics”


## Stroop Task



However, the “difference metric” approach has very poor psychometric properties

- Poor test-retest reliability
- Poor cohesiveness across tasks
- Poor predictive validity

These problems can be remedied by adopting a computational approach that focuses on task-general efficiency of evidence accumulation (EEA)



Future studies should systematically examine links between EEA and alcohol use disorders



## Thanks to my collaborators:



Alex Weigard



Mike Angstadt



Aman Taxali



David Clark

## Sripada Relevant Funding:

-U01DA041106

-R01MH130348

-R01 MH123458

The End