

Routine Healthcare Surveillance is Here

Alexander M. Walker MD DrPH

Senior VP Epidemiology

13 Drug Safety



What Machines Can Do, Machines Should Be Doing!

People should think, not tabulate.

Elements of Safety Surveillance

- § Large numbers of users
- § Real-world use
- § Rapid feedback
- § Comprehensive outcome monitoring
- § Ability to dive deeper




Claims Database


- § Claims data extracted from adjudicated physician, facility and pharmacy claims
- § Enrollee and provider demographic tables
- § Size varies: 2 40 million "lives"
- § Geographically dispersed
- § Medicaid and Medicare



Research Database



Data Setup for Quick Retrieval



- Create matched cohorts of New Drug and Market-Leader Drug users
- Tabulate baseline comorbidities drugs procedures demographics healthcare utilization

 Identify clinical outcomes based on claims data outpatient diagnoses inpatient diagnoses drugs procedures healthcare utilization



Drug/Comparator Lookup

Drug/Comparator	Report Access	Data Mining	Drug/Compa
Aloxi/Zofran		Rx Rx	Lyrica/Neuronti
Avastin/Non-Drug		- Rx	Namenda/Non-
Boniva/Fosamax		- Rx	Nevanac/Acular
Byetta/Metformin-Glyburide		Rx	Nevanac/Voltar
Campral/Non-Drug		Rx Rx	Omacor/Non-Dr
Cialis/Viagra		Rx Rx	Raptiva/Non-Dr
Crestor/Linitar	FA		Ravataz/Kalatra



Reports - Factive/Levaquin

Report Name	View
Demographic Characteristics	200
Baseline Diagnoses	<u>o</u> &
Baseline Procedures	00
Baseline Therapeutic Drug Class Dispensings	00
Baseline Healthcare Utilization	08
Characteristics of Prescribers	08
Treatment Patterns	<u>o</u> &
Primary Inpatient Diagnosis Outcomes	08
Outpatient Diagnosis Outcomes	0%

Report Name	View
Other Diagnosis Outcomes	00
Procedure Outcomes	<u>6</u>
Therapeutic Drug Class Outcomes	<u>0</u>
User Defined Outcomes	Q. Q.
Healthcare Utilization 1-3 months after Initiation	₩
Healthcare Utilization 4-6 months after Initiation	08
Healthcare Utilization 7-9 months after Initiation	8
Healthcare Utilization 10-12 months after Initiation	0gr



Demographic Characteristics of Factive/Levaquin (Matched by Propensity Score)

		All Init	tiators	Matched Initiators						
	Factive (N=9,927)		Levaquin (N=543,236)		Facti (N=9,9	March Brown	Levaquin (N=9,925)			
	N	%	N	%	N	%	N	%		
Age										
0 - 9	2	0.0	146	0.0	2	0.0	0	0.0		
10 - 19	110	1.1	11,105	2.0	110	1.1	112	1.1		
20 - 29	832	8.4	50,528	9.3	832	8.4	827	8.3		
30 - 39	1,901	19.1	101,735	18.7	1,901	19.2	1,950	19.6		
40 - 49	2,785	28.1	137,746	25.4	2,783	28.0	2,756	27.8		
50 - 59	2,596	26.2	131,325	24.2	2,596	26.2	2,612	26.3		
60 - 64	875	8.8	47,241	8.7	875	8.8	868	8.7		
65 +	826	8.3	63,410	11.7	826	8.3	800	8.1		
Gender										
Female	5,415	54.5	320,697	59.0	5,414	54.5	5,434	54.8		
Male	4,512	45.5	222,539	41.0	4,511	45.5	4,491	45.2		
Household Income							Ì			
\$0 - \$29,999	1,001	10.1	60,586	11.2	1,001	10.1	1,078	10.9		
\$30,000 - \$59,999	2,318	23.4	113,053	20.8	2,317	23.3	2,155	21.7		
\$60,000 - \$89,999	2,317	23.3	110,602	20.4	2,317	23.3	2,279	23.0		
\$90,000 - \$149,999	1,627	16.4	81,681	15.0	1,627	16.4	1,577	15.9		
\$150,000 +	1,103	11.1	55,471	10.2	1,102	11.1	1,115	11.2		
Unknown	1,561	15.7	121,843	22.4	1,561	15.7	1,721	17.3		



Baseline Diagnoses of Factive/Levaquin (Matched by Propensity Score)

Scrollbar Off

Dx Code \$			All In	itiators		M	latched	Unmatched Initiators Factive (N=2)			
		100000000000000000000000000000000000000	tive 9,927)	THE RESERVE AND ADDRESS.	Levaquin (N=543,236)		Factive (N=9,925)			quin ,925)	
	Description +	<u>N</u> ÷	<u>%</u> ‡	<u>N</u> ÷	<u>%</u> ‡	<u>N</u> ÷	<u>%</u> ‡	<u>N</u> ÷	<u>%</u> ‡	<u>N</u> ÷	<u>%</u> ‡
466	*Acute bronchitis and bronchiolitis	2,325	23.4	56,382	10.4	2,323	23.4	2,278	23.0	2	100.0
461	*Acute sinusitis	2,141	21.6	72,809	13.4	2,140	21.6	2,087	21.0	1	50.0
401	Essential hypertension	1,969	19.8	116,313	21.4	1,969	19.8	1,980	19.9	0	0.0
272	Disorders of lipoid metabolism	1,853	18.7	99,733	18.4	1,853	18.7	1,851	18.6	0	0.0
461	Acute sinusitis	1,768	17.8	69,238	12.7	1,768	17.8	1,610	16.2	0	0.0
786	Symptoms involving respiratory system and other chest symptoms	1,562	15.7	85,340	15.7	1,562	15.7	1,504	15.2	0	0.0
780	General symptoms	1,481	14.9	84,486	15.6	1,480	14.9	1,409	14.2	1	50.0
466	Acute bronchitis and bronchiolitis	1,446	14.6	46,247	8.5	1,444	14.5	1,388	14.0	2	100.0
V72	Special investigations and examinations	1,215	12.2	78,385	14.4	1,215	12.2	1,207	12.2	0	0.0
477	Allergic rhinitis	1,160	11.7	52,133	9.6	1,160	11.7	1,134	11.4	0	0.0




	Matched Initiators									
	(Factive (N=9,925))	(
	Mean	Median	IQR	Mean	Median	IQR				
Number of People in this Quarter (N, %)	9,914	99.9		9,918	99.9					
Total Costs (\$)	\$1,653	\$423	\$1,143	\$1,955	\$469	\$1,257				
Total Patient Costs (\$)	\$242	\$138	\$270	\$254	\$138	\$278				
Professional Costs (\$)	\$476	\$100	\$355	\$554	\$116	\$420				
Facility Costs (\$)	\$788	\$0	\$174	\$1,012	\$0	\$224				
Emergency Room Costs (\$)	\$25	\$0	\$0	\$26	\$0	\$0				
Pharmaceutical Costs (\$)	\$365	\$126	\$413	\$364	\$130	\$409				
Number of Physician Visits	2.0	1.0	3.0	2.1	1.0	3.0				
Number of Hospitalizations	0.0	0.0	0.0	0.0	0.0	0.0				
Inpatient Days	0.2	0.0	0.0	0.2	0.0	0.0				
Number of Emergency Room Visits	0.2	0.0	0.0	0.2	0.0	0.0				
Number of Drugs Dispensed	4.1	3.0	5.0	4.1	3.0	5.0				
Number of Unique 3 Digit ICD-9 Diagnosis Codes	4.5	3.0	6.0	4.6	3.0	6.0				
Duration of Follow-up	86.7	91.0	0.0	86.3	91.0	0.0				

New Events

	M	Matched Initiators					95% Confidence				
		tive ,925)		aquin ,925)		Interval					
Description \$	<u>N</u> ÷	<u>%</u> ‡	<u>N</u> ÷	<u>%</u>		Relative Risk \$	Low \$	<u>High</u> ‡	Score ‡		
Allergy, unspecified not elsewhere classified	168	1.7	93	0.9		1.8	1.4	2.3	5		
Unspecified adverse effect of drug medicinal and biological substance,	115	1.2	57	0.6		2.0	1.5	2.8	5		
Hematuria	158	1.6	237	2.4		0.7	0.5	0.8	-4		
Unspecified urticaria	70	0.7	31	0.3		2.3	1.5	3.5	4		
Unspecified chronic bronchitis	58	0.6	<u>23</u>	0.2		2.5	1.5	4.2	4		
Malaise and fatigue	908	9.1	771	7.8		1.2	1.1	1.3	3		
Dyspnea and respiratory abnormalities	811	8.2	679	6.8		1.2	1.1	1.3	3		
Unspecified asthma	770	7.8	647	6.5		1.2	1.1	1.3	3		

Data Mining

Data Min	Data Mining - Outpatient Diagnosis of Factive/Levaquin (All Initiators)											
Attribute			Outcome	Fac	tive	Leva	Re					
<u>Type</u>	<u>Code</u>	Description \$	Dx Description Description		Events 🕏	<u>N</u> \$	Events 🕏	<u>N</u> ÷	<u>Val</u> ≑			
Days since first dispensing	8 to 29 days		995	Certain adverse effects not elsewhere classified	99	9,846	<u>19</u>	9,831	5.2			
Days since first dispensing	8 to 29 days		708	Urticaria	38	9,846	4	9,831	9.5			
Days since first dispensing	8 to 29 days		782	Symptoms involving skin and other integumentary tissue	82	9,846	35	9,831	2.3			
Days since first dispensing	8 to 29 days		719	Other and unspecified disorders of joint	50	9,846	88	9,831	0.6			
Days since first dispensing	8 to 29 days		692	Contact dermatitis and other eczema	75	9,846	37	9,831	2.0			



New Frontiers in Data Integration

- § Already in production
 - Consumer data
 - Laboratory results
 - Routine pregnancy surveillance
- § Pilot phase
 - Inpatient linkage
 - Real-time raw claims stream for rapid cycle reporting
 - UnitedHealthcare oncology supplementary data
 - 6-monthly patient status updates for all cancer patients

A general purpose medical data warehouse built on a healthinsurance transactions platform.



Altogether Feasible

- § Private sector internally funded
- § Prototype up and running in six months
- § V2.0 the following year
- § Maximum of 12 developers at any one time
- § Already large enough to be scalable to any data set size

This is not the "last word" in automated prescription surveillance. We and others have many ideas on how to go forward. It is a demonstration that the principal obstacles ARE NOT technology.





