Understanding the Dynamic Relationship between Genetics, Environment, and Early Childhood Development on Risk of Obesity

SHARI BARKIN, MD, MSHS

PROFESSOR OF PEDIATRIC

VANDERBILT UNIVERSITY SCHOOL OF MEDICINE

IOM OBESITY SOLUTIONS ROUNDTABLE

OCTOBER 6, 2015

Genomics

We have 22-24,000 active genes, but Pinor Noir has 29,000- more doesn't mean more functional complexity


Our genetic code is a record of our past (with more than 120,000 silent genes) and a record of our present, what determines our future?

If 99.9% of all human beings have the same genetics, why are there so many differences?

Genetics x Environment x Development

Epigenetics: changes in gene expression via post-translational and post-transcriptional modifications.

You can't change your genes, but you can change the way your genes behave





Markings in ink (permanent)


Pencil markings (can be

Genetics x Environment

In all living species, environment affects gene expression. The social life of genes can be short or long acting.

• The case of the Killer bees versus European bees






Epigenetics in Pediatric Obesity- Maternal Nutrition (1)



Genetically identical, same aged mice Different pre-natal diets: Yellow mouse fed a normal diet; Brown mouse supplemented with **choline**, **folic acid**, **and vitamin B12** (affected methylation at the agouti locus)



http://archive.hudsonalpha.org/education/outreach/basics/epigenetics

Epigenetics in Pediatric Obesity-Maternal Nutrition (2)

High fat diet during pregnancy

PPAR α (lipid homeostatis)
NPY (appetite stimulation)
POMC (appetite suppression)
GLUT4 (glucose metabolism)

Infant regulation of food; carbohydrate and lipid metabolism

Maternal environment

Differential gene expression due to epigenetic changes

Offspring phenotype

Epigenetics and Pediatric Obesity: Infant Microbiome

- Maternal obesity in breastfeeding mothers affects the infant microbiome that affects infant adiposity via epigenetic mechanisms
- Mother on a Western diet more often has a shift in microbiome species, this affects lipid metabolism and inflammatory response
- Composition of the microbiome affects leptin and insulin levels, as well as n6/n3 fatty acid ratios

Exposure to a maternal western diet through breastmilk appears to pattern the microbiome and affect a pro-inflammatory state in infants.

Your body is mostly microbes

Epigenetics and Pediatric Obesity: Paternal Nutrition

- Epigenetic mediation through sperm and the paternal line
- High fat paternal diet increases beta cell dysfunction in female offspring

Paternal obesity affects the metabolic and reproductive health of the offspring for multiple

generations.

Altered offspring phenotype

Alters transcription and translation profile of the embryo

TRENDS in Endocrinology & Metabolism

Ng, Nature, 2010; Lane, Trends in Endocrinology and Metabolism, 2015.

What can we learn from epigenetics to better understand childhood obesity?

- Godfrey (2011) examined longitudinal cohorts of children and epigenetic signatures of their umbilical cord tissue, examining fat distribution with a DEXA scan at age 9
 - ► Increased methylation of: RXRA; NOS3; SOD1; IL-8; PIK3CD
 - >RXRA was confirmed as differentially methylated for those children with later increased adiposity in an independent sample of children
 - ➤ No causal mechanism identified
 - ► Changed methylation pattern associated with later childhood adiposity
 - Conclusion: Perinatal epigenetics can assess individual vulnerability to childhood obesity

Opportunities for Intervention and Prevention (1)

- ➤ Maternal malnourishment (over or under) increases the risk for childhood obesity
 - Animal models have examined maternal supplements such as choline that change methylation patterns and is able to reverse early metabolic dysfunction.
 - These relationships depend on age, gender, and maternal nutritional status
- Regardless of maternal BMI, a high fat maternal diet during pregnancy results in increased inflammatory cytokine production in the placenta and the fetus.
 - Some of these effects are mitigated if post-natal nutrition has normal fat composition
- Paternal nutrition increases the risk for childhood obesity
 - Some of these effects could be addressed with improved paternal nutrition

Opportunities for Intervention and Prevention (2)

- > Epigenetics could provide an approach to:
 - ➤ Identify at-risk children
 - Understand mechanisms to shed light on factors that could be potentially mitigated

The IOM Workshop Planning Committee: Examining a Developmental Approach to Childhood Obesity

Ann Yaktine, Director of the Board of Food and Nutrition
Kimber Bogard, Director of the Board of Children, Youth, and Families

Planning Committee:

Shari Barkin

Leann Birch

Steve Daniels

Esa Davis

Matt Gilman

Debra Haire-Joshu

Karen Lillycrop