SESSION 2: UNIQUE RISKS & VULNERABILITIES OF AYA PATIENTS ACROSS THE LIFESPAN LIVESTRONG Foundation: AYA Survey Results

Ruth Rechis, PhD Director, Research & Evaluation
July 2013

- Questions harmonized with the MEPS Cancer Survivors Supplement
- Survey was administered entirely online
- Available from June 2012 through December 2012
- Promoted the survey through email, Facebook, Twitter and through national and community partners
- LIMITATION: Online, convenience sample




- 1,338 individuals diagnosed between the ages of 15-39 completed the survey (2002-2012)
- Majority were:
 - Female 59%
 - White 81%
 - Married/Domestic Partnership 61%
 - Have a college degree 65%
- 85% had worked (N=1,137) since a cancer diagnosis
- 91% had been covered by health insurance at any time since first diagnosed (N=1,217)



LIVESTRONG.

FOUNDATION

Insurance, Debt, Work & School Results




39% of AYAs had to or their family had to borrow money or go into debt because of their cancer*

 7% of AYAs indicated that they had filed for bankruptcy because of their cancer 83% of AYAs worried about having to pay large medical bills




84% of participants made a change to their work since their cancer diagnosis.






AYA's Ability to Perform Tasks





33% of participants attended or made a decision about attending school since their diagnosis (N= 441)






LIVESTRONG'

FOUNDATION

CAREGIVERS

92% of participants had a friend or family member provide care during/after their cancer treatment (N= 1,230)





Those with employed caregivers:

- 54% reported that the caregiver had to make
 work changes because of cancer
- 25% reported that the caregiver had to make changes for at least 2 months

LIVESTRONG'

FOUNDATION


FERTILITY PRESERVATION

• 24% (321 of the 1,333 AYAs) took steps to preserve their fertility before their cancer treatment began

Fertility Preservation Methods Used by AYA Males

■ Sperm banking None of the above Embryo preservation Testicular tissue freezing


Fertility Preservation Methods Used by AYA Females





Reasons for not using Fertility Preservation

■ Male ■ Female



- •Findings indicate AYA survivors are experiencing significant burden of practical concerns after a diagnosis
- AYAs are often relying on a parent as a caregiver
- Caregivers are acquiring debt and reducing work as a results of their loved ones diagnosis



LIVESTRONG.

FOUNDATION

Future Directions

- Manuscript of findings on AYAs from 2012 LS Survey
- LSSCOE Network Young Adult Survivorship Study
 - Tests feasibility of recruiting YA Cohort (18-39)
 - Tests the effectiveness of the Essential Elements of Survivorship Care on improving health outcomes & health-related quality of life
 - Sending out the LIVESTRONG Survey
- NCI AYA Oncology Workshop Sept 2013
- 2014 LIVESTRONG Survey
- 2014 release of 2012 LS Survey Dataset for public use



- LIVE**STRONG** Research & Evaluation Team (Stephanie Nutt, Sarah Arvey, Melissa Dockery)
- RTI International (Carla Bann and Linda Squiers)
- LIVE**STRONG** Survivorship Centers of Excellence Network
 - Abramson Cancer Center, University of Pennsylvania
 - Dana-Farber Cancer Institute
 - Fred Hutchinson Cancer Research Center
 - •Memorial Sloan-Kettering Cancer Center Survivorship Program
 - •UCLA Jonsson Comprehensive Cancer Center
 - University of Colorado Cancer Center
 - •University of North Carolina at Chapel Hill, Lineberger Comprehensive Cancer Center
- National Cancer Institute
- Office of Behavioral and Social Sciences Research
- American Cancer Society
- Centers for Disease Control and Prevention
- Agency for Healthcare Research & Quality



LIVESTRONG'

FOUNDATION

Questions or Participate: research@livestrong.org