



Remote Sensing of Environment



Earth Engine App

Kuzemko et al., Reach the bottom: plant cover of the former Kakhovka Reservoir, Ukraine (2024), in press

Remote Sensing of Environment



Habitats of the Syniukha rives bassin

Random Forest supervised classification of time series of spectral indices. Data: Sentinel-2 Level 2A harmonized surface reflectance, ground truth data collected and prepared by Kateryna Lavrinenko.

Powered by (c) Google Earth Engine.

Oleh Prylutskyi, 2024, CC BY 4.0



Habitat types

- C2.2
- C2.3
- J1
- J3.2
- J4.2
- Q51
- Q53
- R12
- R1A
- R1B
- R21
- R22
- R35
- R36
- S35
- S36
- S38




Earth Engine App

Remote Sensing of Environment



Matsala, M., Odruzenko, A., Hinchuk, T. *et al.* War drives forest fire risks and highlights the need for more ecologically-sound forest management in post-war Ukraine. *Sci Rep* **14**, 4131 (2024). <https://doi.org/10.1038/s41598-024-54811-5>




Environmental DNA analysis



Open Biodiversity Data

SEARCH OCCURRENCES | 62,837 WITH COORDINATES

GALLERY MAP TAXONOMY METRICS DOWNLOAD



Number of records published by institutions in Ukraine, categorized by kingdom

Source: GBIF Annual Activity report, January 2023