



1770 967 FM | Buda, TX
www.ncfh.org

Session 7: Implementation Considerations: Communications, Training, and Education Needs and Strategies

Lisbeth Gall, MA

National Center for Farmworker Health
September 30, 2025



National Center for Farmworker Health

The National Center for Farmworker Health is a private, not-for-profit organization located in Buda, Texas, whose mission is **"To improve the health of farmworker families."**

Services we provide across four main areas:

- **Capacity Building**
- **Health Promotion and Education**
- **Farmworker Outreach**
- **Research and Data Collection**






Bird Flu H5N1 Response

Strategies


1. Local farmworker outreach
 - Partnership with 22 organizations in 11 states
2. Network-building
3. Health education
4. Training & capacity building
5. Data collection for action
6. Evaluation & feedback



Health Education Questions

- What are the knowledge gaps and unique challenges faced by **dairy workers**?
- What are the training needs of **outreach workers**?
- What are the most effective health education and communication strategies for these populations?






Health Ed Materials for Dairy Workers

Messaging
development
by
NCFH staff

Review and
feedback
by
Dairy worker
committee





Types of Media

- **Print:** Flyers or postcards
- **Public Service Announcements (PSAs)**
- **Audio recordings:**
 - Flyers and postcards usually include audio recordings, especially for translated resources
- **Social media messages**
 - Custom graphics and messages for WhatsApp, Facebook, or Instagram






Translation of Materials to Multiple Languages

NCFH Dairy Worker Survey Findings (n=708)

- 15% were Indigenous
- Average 8 years of working in the U.S.
- Completed 8 years of schooling on average
- 21 different currently spoken languages





Translation of Materials to Multiple Languages

Chachajij awib' ruk' le tza'maj kech ajxik' awajib' H5N1

Ukab' juch': ¡le yab'il tza'maj kech ajxik' awajib' kujuyab'irisaj oj xuquje' le kojchakun kuk' taq ri wakax chi' pa taq le kitu'b'al wakax!

Rajawaxik' la':  **K'iche'**
bit.ly/40sQhbo

1 ¡Kqakoj retal le taq uk'utub'al de yab'il tza'maj kech ajxik' awajib'.

2 ¡Chi aninaqil kya' pa ukayixik we k'o jun uk'utub'al kuk' utu!

3 ¡kab'ij che ri awajkun on tob'al ajkun chi katchakun kuk' taq ri wakax on ajxik' awajib'!

Rech kata apan jas kb'ix wa chi rij we yab'il tza'maj kech ajxik' awajib', chatzukuj Jun Sik'inem Rech Ch'akulal (Una Voz Para la Salud) pa le Facebook on katch'aw apan pa le 1-800-377-9968 on katz'ib'an apan pa WhatsApp pa le 1-737-414-5121

 **NCFH**
National Center for Farmworker Health, Inc.

- Many languages are not traditionally written.
- We have linked audio recordings of these health messages through QR codes.

Ja kuu ka'ani ve'e satana nu yanika ku kunini nasa oni, ka'ani nu chitu ña ñayi NCFH, i'n tachi ja koo va'a nu i'n una cero cero uni uja uja i'n i'n iñu una asi ku tetiuni in tu'un nu WhatsApp numero i'n uja uni uja kumi i'n kumi u'n u'n i'n uu i'n.

Nakuneni cāmara telefononi nu ndene código QR te na nako' oñajin.




 **NCFH**
National Center for Farmworker Health, Inc.

 **Mixteco**



Real Photos & Realistic Illustrations





Training for Outreach Workers

Virtual Train-the-Trainer:

- Flipchart with key points on bird flu and prevention
- Included activities to put on and take off, and disinfect PPE
- Shared protocols to stay safe while doing outreach on dairy farms



10



Cómo limpiar y quitar nuestro EPP

*ACTIVIDAD OPCIONAL:

Materiales: El mismo EPP utilizado en la actividad anterior.

Instrucciones: Si hay EPP disponible, pídale al voluntario que siga sus instrucciones sobre cómo quitárselo correctamente.

Los gérmenes pueden permanecer en nuestro EPP, al igual que la pimienta que se nos pegó en las manos en la actividad anterior, por lo que debemos limpiarlo después del trabajo. A continuación, hay algunas recomendaciones para limpiar el equipo de protección personal (EPP) después del trabajo:

- Quítese el EPP antes de ingresar a áreas limpias como baños o salas de descanso.
- Descarte todos los EPP desechables de manera adecuada.
- Deje a un lado todo el EPP reusable para limpiar después de cada uso.

1. Limpie con agua los cubrebotas, las botas y el delantal
2. Quítese los cubrebotas o botas y el delantal
3. Quítese los overoles
4. Quítese los guantes desechables
5. Lávese las manos con agua y jabón o, si no hay agua y jabón disponibles, use un desinfectante para manos a base de alcohol
6. Quítese el protector facial
7. Quítese el cobertor para la cabeza o el cabello
8. Quítese las lentes de seguridad
9. Quítese la mascarilla o respirador N-95
10. Lávese las manos otra vez con agua y jabón o, si no hay agua y jabón disponible, use un desinfectante para manos a base de alcohol

Después de quitarse el EPP:

1. Limpie y desinfecte el EPP reusable.
2. Si es posible, báñese en el trabajo después de su turno y póngase ropa limpia o tome un baño tan pronto llegue a casa.
3. Lave toda la ropa sucia.
4. Deje todo el equipo en el trabajo y límpielo antes de volver a usarlo.



Social Media Platform Usage

76% use Facebook
59% use WhatsApp
46% use TikTok
40% use YouTube
28% use Instagram
9% use Snapchat
5% use Twitter/X



Source: NCFH

© National Center for Farmworker Health



Top Source of Health Information

- **60%** Internet sources, including social media
- **11%** Community health center
- **11%** Family or friends
- Others (low percentages)



Thank you!

© National Center for Farmworker Health

