The Cost of TMD

TRICIA KALINOWSKI

NATIONAL ACADEMY OF SCIENCE, ENGINEERING AND MEDICINE

COMMITTEE ON TMD

MARCH 28, 2019

Procedures / Complications Related to My Jaw Surgery (1 of 5)

- 1986 Vitek Disc Implant (bilateral)
- 1987 Vitek Disc Removed, Replaced with Silastic (bilateral)
- 1987 Silastic Removed
- 1990 Braces (pre-LeForte surgery) (in addition to childhood braces)
- 1990 LeForte Osteotomy on Upper and Lower Jaw
 - Blood transfusion (needed 2 units after 12 hour surgery)
 - 3 X-rays to see if bones shifted after my 1-year-old banged into my face 3 times
 - Wired Shut for approximately six weeks

Procedures / Complications Related to My Jaw Surgery (2 of 5)

- 1991 Left TMJ Arthroscopy
- 1992 Rib Graft to Replace Right TMJ
 - Collapsed Lung following surgery
 - 2 weeks in a hospital that was 2 hours drive from home
- 1992 Left TMJ Surgery
 - Muscle flap as disc replacement
- 1993 Suicidal Depression
 - Five weeks inpatient treatment center
 - Five months outpatient treatment
- 1993 Multiple Steroid Injections in Left TMJ
 - Listening to the needle crunch while not being able to move

Procedures / Complications Related to My Jaw Surgery (3 of 5)

- 1996- Left TMJ Arthroplasty and Debridement
 - Required following a fall on the ice which caused a fracture
- 1998 Total Left TMJ Replacement with Christensen Implant
 - More arch-bars
 - Tissue grafts on lower gums (complication from arch bars)
- 2002 2005 Implanted Intrathecal Pain Pump
 - Blood patch for spinal fluid leak following testing
 - Implant surgery (nominal)
 - Removal required due to lack of medical support to maintain the pump
 - Spinal fluid leak following pain pump removal
 - Laminectomy 2-weeks post surgery to allow the neurosurgeon access to close the hole left by the catheter.

Procedures / Complications Related to My Jaw Surgery (4 of 5)

- 2015 Removed Left TMJ Christensen Implant
 - Joint failure with frequent dislocation
 - Also removed the majority of plates/screws from LeForte
- 2015 Bilateral TMJ Concepts Joint Implants
 - Required removal of Christensen implant prior to measurements for TMJC due to stainless steel affects on x-ray imaging.
 - 7 months with only one joint
 - More arch bars for 6 weeks following TMJC implants

Procedures / Complications Related to My Jaw Surgery (5 of 5)

- 1986 Present Multiple Traumatic Intubations
 - Fully awake during nasal cannula emplacement
 - Anesthesiologists not familiar with the need for fiber-optic intubation for patients with artificial joints.
- 1986 Present Sedation Required for Routine Dental Work

