
## Number of Diplomates by Year – American Board of Obesity Medicine



Data graciously provided by Dana Brittan, ABOM

Number of Patients with Severe Obesity per ABOM Diplomate


- Approximately 17,600,000 US adults have severe obesity
- At current levels of ABOM diplomates, each diplomate would have to treat approximately 11,000 patients

Distribution of Adults with Obesity among Primary Care Physicians

Physicians include family practitioners, general practice, internal medicine, and ob/gyn (n = 197,853)

 $BMI \ge 30 - 440 \text{ people/practitioner}$   $BMI \ge 35 - 164 \text{ people/practitioner}$  $BMI \ge 40 - 89 \text{ people/practitioner}$ 

## Number of Participants by Year in the Y-DPP



Data graciously provided by Emily Greenberg Y-USA

## **Diabetes Prevalence and the Y-DPP**

- 86 million US adults have prediabetes<sup>1</sup>
- 220 Y-DPP programs in 2015 with average 57 participants
- To reach all prediabetics, approximately 1.5 million Y-DPP programs would be required

<u>1.</u>

www.cdc.gov/chronicdisease/resources/pub;lications/aag/diabet

es

2. DPP data from Emily Greenberg

## Framework for Integrated Clinical and Community Systems of Care

